









1. THESE BMPs ARE MANDATORY TO BE INSTALLED PER MANUFACTURER'S RECOMMENDATIONS OR THESE PLANS.
2. NO CHANGES TO THE PROPOSED BMPs ON THIS SHEET WITHOUT PRIOR APPROVAL FROM THE CITY ENGINEER.
3. NO SUBSTITUTIONS TO THE MATERIAL OR TYPES OR PLANTING TYPES WITHOUT PRIOR APPROVAL FROM THE CITY ENGINEER.
4. NO OCCUPANCY WILL BE GRANTED UNTIL THE CITY INSPECTION STAFF HAS INSPECTED THIS PROJECT FOR APPROPRIATE BMP CONSTRUCTION AND INSTALLATION.
5. REFER TO MAINTENANCE AGREEMENT DOCUMENT.
6. SEE PROJECT SWMP FOR ADDITIONAL INFORMATION.

BMP TABLE								
BMP ID #	BMP TYPE	SYMBOL	CASQA NO.	QUANTITY	DRAWING NO.	SHEET NO.(S)	INSPECTION * FREQUENCY	MAINTENANCE * FREQUENCY
TREATMENT CONTROL								
(21)	PERVIOUS PAVEMENT		TC-10	_____ SF.	444-4A	4, 5	SEMI-ANNUALLY	ANNUALLY
HYDROMODIFICATION & TREATMENT CONTROL								
(10) – (15)	BIORETENTION AREA		TC-32	_____ SF.	444-4A	4, 5	QUARTERLY	SEMI-ANNUALLY
HYDROMODIFICATION								
(22)	WET VAULT (INCLUDES CISTERN)		MP-50	1 EA.	444-4A	3, 4, 5	TWICE PER YEAR	TWICE PER YEAR
LOW IMPACT DESIGN (L.I.D.)								
(1) – (9)	ROOF DRAIN TO LANDSCAPING		SD-11	9 EA.	444-4A	4, 5	ANNUALLY	ANNUALLY
(16) – (19)	INLET FILTER		TC-50	4 EA.	444-4A	3, 4, 5	QUARTERLY	QUARTERLY
(20)	VEGETATIVE SWALE		TC-30	_____ SF.	444-4A	3, 4	ANNUALLY	MONTHLY
SOURCE CONTROL								
(23)	TRASH ENCLOSURE		SD-32					
(16) – (19)	STENCILS		SD-13					

* CHOOSE FROM THE LIST BELOW FOR COMPLETING THE FIELDS
IN THE INSPECTIONS & MAINTENANCE FREQUENCY COLUMNS:

ANNUAL
SEMI-ANNUALLY
QUARTERLY
BIMONTHLY
MONTHLY
AS NEEDED
NONE
WEEKLY
1 TIME PER YEAR
2 TIMES PER YEAR
3 TIMES PER YEAR
4 TIMES PER YEAR

[illegible]